

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBD ISO GVL-TST990

Lab ID: 2507081-01

Central Oregon Processing

METRC Batch ID:

Date Sampled: 07/10/25

Date Printed: 07/16/25

Report cannot be used for OLCC/OHA compliance.

Potency Analysis

 Analytical Method: De Backer, Journal of Chromatography b.2009. 11.004 -
 SOP 102 - Cannabinoids via High Performance Liquid Chromatography

Cannabinoids	%	LOQ	Notes
THCA	< LOQ	0.164	
delta 9-THC	< LOQ	0.164	
delta 8-THC	< LOQ	0.164	
CBDA	< LOQ	0.164	
CBD	100*	0.164	
CBGA	< LOQ	0.164	
CBG	< LOQ	0.164	
CBN	< LOQ	0.164	
CBC	< LOQ	0.164	
CBDVA	< LOQ	0.164	
CBDV	0.775	0.164	
THCV	< LOQ	0.164	
THCVA	< LOQ	0.164	
Total CBG	< LOQ	0.164	
Total CBDV	0.775	0.164	
Total THCV	< LOQ	0.164	
Total Cannabinoids	100*	0.164	

Total THC
< LOQ %

Total CBD
100* %

Results that fail state testing requirements will be highlighted Red.

* The actual result obtained from the analysis was 103/104%. This result has been corrected to 100%, which is within the laboratory's calculated analytical uncertainty of +/- 6.61%.

<LOQ - Results below the Limit of Quantitation

ORELAP accredited cannabinoid analytes include only CBDA, CBD, THCA, delta-9-THC, and delta-8-THC.

Acid form of THC/CBD are decarboxylated by heat, lose 12% of original mass as CO₂. Result = "bioactive"

"Total" Cannabinoid accounts for decarboxylation and moisture content. **Total THC = [(THCA*0.877) + Δ9THC] / (100%-MC)**

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBD ISO GVL-TST990

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2507081-01

Pesticide Analysis in PPM

Date/Time Extracted: 07/11/25 15:40

Date/Time Analyzed: 07/14/25 16:00

Analysis Method/SOP: SOP 33

Instrument: Selene

Batch Identification: B25G096

Analyte	Result	Action Level	LOQ	Type
Abamectin	< LOQ	0.5	0.2500	Avermectin insecticide
Acephate	< LOQ	0.4	0.2000	Organophosphate Insecticide
Acequinocyl	< LOQ	2	1.000	Quinoline insecticide
Acetamiprid	< LOQ	0.2	0.1000	Neonicotinoid insecticide
Aldicarb	< LOQ	0.4	0.2000	Carbamate insecticide
Azoxystrobin	< LOQ	0.2	0.1000	Strobin fungicide
Bifenazate	< LOQ	0.2	0.1000	Carbazate miticide
Bifenthrin	< LOQ	0.2	0.1000	Pyrethroid insecticide
Boscalid	< LOQ	0.4	0.2000	Carboxamide fungicide
Carbaryl	< LOQ	0.2	0.1000	Carbamate insecticide
Carbofuran	< LOQ	0.2	0.1000	Carbamate insecticide
Chlorantraniliprole	< LOQ	0.2	0.1000	Anthranilic diamide insecticide
Chlorfenapyr	< LOQ	1	0.5000	Pyrrole insecticide
Chlorpyrifos	< LOQ	0.2	0.1000	Organophosphate Insecticide
Clofentezine	< LOQ	0.2	0.1000	Tetrazine miticide
Cyfluthrin	< LOQ	1	0.5000	Pyrethroid insecticide
Cypermethrin	< LOQ	1	0.5000	Pyrethroid insecticide
Daminozide	< LOQ	1	0.5000	Plant growth regulator
DDVP (Dichlorvos)	< LOQ	1	0.5000	Organophosphate insecticide
Diazinon	< LOQ	0.2	0.1000	Organophosphate Insecticide
Dimethoate	< LOQ	0.2	0.1000	Organophosphate insecticide
Ethoprophos	< LOQ	0.2	0.1000	Organophosphate insecticide
Etofenprox	< LOQ	0.4	0.2000	Pyrethroid insecticide
Etoxazole	< LOQ	0.2	0.1000	Oxazoline insecticide
Fenoxycarb	< LOQ	0.2	0.1000	Carbamate insecticide
Fenpyroximate	< LOQ	0.4	0.2000	Pyrazolium miticide
Fipronil	< LOQ	0.4	0.2000	Pyrazole insecticide
Flonicamid	< LOQ	1	0.5000	Pyridinecarboxamide insecticide
Fludioxonil	< LOQ	0.4	0.2000	Benzodioxole fungicide
Hexythiazox	< LOQ	1	0.5000	Heterocyclic miticide
Imazalil	< LOQ	0.2	0.1000	Imidazole fungicide
Imidacloprid	< LOQ	0.4	0.2000	Neonicotinoid insecticide
Kresoxim-methyl	< LOQ	0.4	0.2000	Strobilurin fungicide
Malathion	< LOQ	0.2	0.1000	Organophosphate insecticide

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBD ISO GVL-TST990

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2507081-01

Pesticide Analysis in PPM

Date/Time Extracted: 07/11/25 15:40

Date/Time Analyzed: 07/14/25 16:00

Analysis Method/SOP: SOP 33

Instrument: Selene

Batch Identification: B25G096

Analyte	Result	Action Level	LOQ	Type
Metalaxyl	< LOQ	0.2	0.1000	Benzenoid fungicide
Methiocarb	< LOQ	0.2	0.1000	Carbamate insecticide
Methomyl	< LOQ	0.4	0.2000	Carbamate insecticide
Methyl parathion	< LOQ	0.2	0.1000	Organophosphate insecticide
MGK-264	< LOQ	0.2	0.1000	Pesticide synergist
Myclobutanil	< LOQ	0.2	0.1000	Triazole fungicide
Naled	< LOQ	0.5	0.2500	Organophosphate insecticide
Oxamyl	< LOQ	1	0.5000	Carbamate insecticide
Paclobutrazol	< LOQ	0.4	0.2000	Triazole fungicide
Permethrins	< LOQ	0.2	0.1000	Pyrethroid insecticide
Phosmet	< LOQ	0.2	0.1000	Organophosphate insecticide
Piperonyl butoxide	< LOQ	2	1.000	Pesticide synergist
Prallethrin	< LOQ	0.2	0.1000	Pyrethroid insecticide
Propiconazole	< LOQ	0.4	0.2000	Triazole fungicide
Propoxur	< LOQ	0.2	0.1000	Carbamate insecticide
Pyrethrins	< LOQ	1	0.5000	Pyrethroid insecticide
Pyridaben	< LOQ	0.2	0.1000	Pyridazinone insecticide
Spinosad	< LOQ	0.2	0.1000	Spinosyn insecticide
Spiromesifen	< LOQ	0.2	0.1000	Keto-enol insecticide
Spirotetramat	< LOQ	0.2	0.1000	Keto-enol insecticide
Spiroxamine	< LOQ	0.4	0.2000	Spiroketalamine fungicide
Tebuconazole	< LOQ	0.4	0.2000	Triazole fungicide
Thiacloprid	< LOQ	0.2	0.1000	Neonicotinoid insecticide
Thiamethoxam	< LOQ	0.2	0.1000	Neonicotinoid insecticide
Trifloxystrobin	< LOQ	0.2	0.1000	Strobin fungicide

<LOQ - Results below the Limit of Quantitation - Compound not detected

Results above the Action Level fail state testing requirements and will be highlighted Red.

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.



Analytical Test Report

Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
ORELAP ID: 4096
7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBD ISO GVL-TST990

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2507081-01

Residual Solvents Analysis in PPM

Date/Time Extracted: 07/14/25 08:29

Date/Time Analyzed: 07/14/25 18:38

Analysis Method/SOP: RS

Instrument: Enrique

Batch Identification: B25G105

Solvent	Results in ppm	LOQ	Action Level	Notes
Acetone	< LOQ	2500	5000	
Acetonitrile	< LOQ	205.0	400	
Benzene	< LOQ	1.000	2	
2-Butanol	< LOQ	2500	5000	
Cumene	< LOQ	35.00	70	
Cyclohexane	< LOQ	1940	3880	
Dichloromethane	< LOQ	300.0	600	
1,4-Dioxane	< LOQ	190.0	380	
2-Ethoxyethanol	< LOQ	80.00	160	
Ethyl acetate	< LOQ	2500	5000	
Ethylene glycol	< LOQ	310.0	620	
Ethylene oxide	< LOQ	25.00	50	
Ethyl ether	< LOQ	2500	5000	
Heptane	< LOQ	2500	5000	
Isopropyl acetate	< LOQ	2500	5000	
Methanol	< LOQ	1500	3000	
Propane	< LOQ	2500	5000	
2-Propanol (IPA)	< LOQ	2500	5000	
Tetrahydrofuran	< LOQ	360.0	720	
Toluene	< LOQ	445.0	890	
Butanes	< LOQ	2500	5000	
Hexanes	< LOQ	145.0	290	
Pentanes	< LOQ	2500	5000	
Xylenes	< LOQ	1085	2170	

Results above the Action Level, or otherwise fail state testing requirements will be highlighted Red.

Chris Griffey
Lab Director

Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.



Analytical Test Report

Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBD ISO GVL-TST990

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2507081-01

Heavy Metals Analysis in PPM

Date/Time Extracted: 07/14/25 11:34

Date/Time Analyzed: 07/15/25 17:49

Analysis Method/SOP: Microwave Digestion

Instrument: Lothar

Batch Identification: B25G108

Analyte	Result	Action Level	LOQ	Notes
Arsenic	< LOQ	0.2	0.100	
Cadmium	< LOQ	0.2	0.100	
Lead	< LOQ	0.5	0.250	
Mercury	< LOQ	0.1	0.0500	

<LOQ - Results below the Limit of Quantitation - Compound not detected

Results above the Action Level fail state testing requirements and will be highlighted Red.

Chris Griffey
 Lab Director

Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBD ISO GVL-TST990

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2507081-01

Quality Control Potency

Batch: B25G110 - Potency

Blank(B25G110-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	< LOQ	0.0200	%		07/14/25 14:50	07/14/25 22:52	
delta 9-THC	< LOQ	0.0200	%		07/14/25 14:50	07/14/25 22:52	
CBGA	< LOQ	0.0200	%		07/14/25 14:50	07/14/25 22:52	
CBDA	< LOQ	0.0200	%		07/14/25 14:50	07/14/25 22:52	
CBD	< LOQ	0.0200	%		07/14/25 14:50	07/14/25 22:52	
CBN	< LOQ	0.0200	%		07/14/25 14:50	07/14/25 22:52	
CBG	< LOQ	0.0200	%		07/14/25 14:50	07/14/25 22:52	
delta 8-THC	< LOQ	0.0200	%		07/14/25 14:50	07/14/25 22:52	
CBC	< LOQ	0.0200	%		07/14/25 14:50	07/14/25 22:52	
THCV	< LOQ	0.0200	%		07/14/25 14:50	07/14/25 22:52	
THCVA	< LOQ	0.0200	%		07/14/25 14:50	07/14/25 22:52	
CBDVA	< LOQ	0.0200	%		07/14/25 14:50	07/14/25 22:52	
CBDV	< LOQ	0.0200	%		07/14/25 14:50	07/14/25 22:52	

LCS(B25G110-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	105	0.137	%	90-110	07/14/25 14:50	07/14/25 23:07	
delta 9-THC	107	0.137	%	90-110	07/14/25 14:50	07/14/25 23:07	
CBDA	102	0.137	%	90-110	07/14/25 14:50	07/14/25 23:07	
CBD	107	0.137	%	90-110	07/14/25 14:50	07/14/25 23:07	
delta 8-THC	101	0.137	%	90-110	07/14/25 14:50	07/14/25 23:07	

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBD ISO GVL-TST990

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2507081-01

Quality Control Pesticide Analysis

Batch: B25G096 - Pest/Myco

Blank(B25G096-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Abamectin	< LOQ	0.2500	ppm		07/11/25 15:40	07/14/25 14:40	
Acephate	< LOQ	0.2000	ppm		07/11/25 15:40	07/14/25 14:40	
Acequinocyl	< LOQ	1.000	ppm		07/11/25 15:40	07/14/25 14:40	
Acetamiprid	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Aldicarb	< LOQ	0.2000	ppm		07/11/25 15:40	07/14/25 14:40	
Azoxystrobin	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Bifenazate	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Bifenthrin	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Boscalid	< LOQ	0.2000	ppm		07/11/25 15:40	07/14/25 14:40	
Carbaryl	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Carbofuran	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Chlorantraniliprole	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Chlorfenapyr	< LOQ	0.5000	ppm		07/11/25 15:40	07/14/25 14:40	
Chlorpyrifos	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Clofentezine	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Cyfluthrin	< LOQ	0.5000	ppm		07/11/25 15:40	07/14/25 14:40	
Cypermethrin	< LOQ	0.5000	ppm		07/11/25 15:40	07/14/25 14:40	
Daminozide	< LOQ	0.5000	ppm		07/11/25 15:40	07/14/25 14:40	
DDVP (Dichlorvos)	< LOQ	0.5000	ppm		07/11/25 15:40	07/14/25 14:40	
Diazinon	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Dimethoate	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Ethoprophos	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Etofenprox	< LOQ	0.2000	ppm		07/11/25 15:40	07/14/25 14:40	
Etoxazole	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Fenoxycarb	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Fenpyroximate	< LOQ	0.2000	ppm		07/11/25 15:40	07/14/25 14:40	
Fipronil	< LOQ	0.2000	ppm		07/11/25 15:40	07/14/25 14:40	
Flonicamid	< LOQ	0.5000	ppm		07/11/25 15:40	07/14/25 14:40	
Fludioxonil	< LOQ	0.2000	ppm		07/11/25 15:40	07/14/25 14:40	
Hexythiazox	< LOQ	0.5000	ppm		07/11/25 15:40	07/14/25 14:40	
Imazalil	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Imidacloprid	< LOQ	0.2000	ppm		07/11/25 15:40	07/14/25 14:40	
Kresoxim-methyl	< LOQ	0.2000	ppm		07/11/25 15:40	07/14/25 14:40	
Malathion	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBD ISO GVL-TST990

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2507081-01

Quality Control

Pesticide Analysis (Continued)

Batch: B25G096 - Pest/Myco (Continued)

Blank(B25G096-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Metalaxyl	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Methiocarb	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Methomyl	< LOQ	0.2000	ppm		07/11/25 15:40	07/14/25 14:40	
Methyl parathion	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
MGK-264	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Myclobutanil	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Naled	< LOQ	0.2500	ppm		07/11/25 15:40	07/14/25 14:40	
Oxamyl	< LOQ	0.5000	ppm		07/11/25 15:40	07/14/25 14:40	
Paclobutrazol	< LOQ	0.2000	ppm		07/11/25 15:40	07/14/25 14:40	
Permethrins	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Phosmet	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Piperonyl butoxide	< LOQ	1.000	ppm		07/11/25 15:40	07/14/25 14:40	
Prallethrin	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Propiconazole	< LOQ	0.2000	ppm		07/11/25 15:40	07/14/25 14:40	
Propoxur	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Pyrethrins	< LOQ	0.5000	ppm		07/11/25 15:40	07/14/25 14:40	
Pyridaben	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Spinosad	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Spiromesifen	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Spirotetramat	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Spiroxamine	< LOQ	0.2000	ppm		07/11/25 15:40	07/14/25 14:40	
Tebuconazole	< LOQ	0.2000	ppm		07/11/25 15:40	07/14/25 14:40	
Thiacloprid	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Thiamethoxam	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	
Trifloxystrobin	< LOQ	0.1000	ppm		07/11/25 15:40	07/14/25 14:40	

LCS(B25G096-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Abamectin	107	0.2500	ppm	50-150	07/11/25 15:40	07/14/25 14:24	
Acephate	123	0.2000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	Q3
Acequinocyl	77.9	1.000	ppm	40-160	07/11/25 15:40	07/14/25 14:24	
Acetamiprid	109	0.1000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Aldicarb	115	0.2000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Azoxystrobin	90.6	0.1000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Bifenazate	85.4	0.1000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBD ISO GVL-TST990

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2507081-01

Quality Control

Pesticide Analysis (Continued)

Batch: B25G096 - Pest/Myco (Continued)

LCS(B25G096-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Bifenthrin	88.3	0.1000	ppm	50-150	07/11/25 15:40	07/14/25 14:24	
Boscalid	80.1	0.2000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Carbaryl	110	0.1000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Carbofuran	102	0.1000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Chlorantraniliprole	88.7	0.1000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Chlorfenapyr	90.6	0.5000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Chlorpyrifos	101	0.1000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Clofentezine	94.4	0.1000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Cyfluthrin	104	0.5000	ppm	50-150	07/11/25 15:40	07/14/25 14:24	
Cypermethrin	96.7	0.5000	ppm	50-150	07/11/25 15:40	07/14/25 14:24	
Daminozide	122	0.5000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	Q3
DDVP (Dichlorvos)	101	0.5000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Diazinon	102	0.1000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Dimethoate	117	0.1000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Ethoprophos	102	0.1000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Etofenprox	94.0	0.2000	ppm	50-150	07/11/25 15:40	07/14/25 14:24	
Etoxazole	100	0.1000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Fenoxycarb	96.6	0.1000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Fenpyroximate	90.3	0.2000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Fipronil	103	0.2000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Flonicamid	102	0.5000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Fludioxonil	91.3	0.2000	ppm	50-150	07/11/25 15:40	07/14/25 14:24	
Hexythiazox	90.7	0.5000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Imazalil	99.0	0.1000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Imidacloprid	99.9	0.2000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Kresoxim-methyl	104	0.2000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Malathion	86.9	0.1000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Metalaxyl	96.3	0.1000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Methiocarb	94.7	0.1000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Methomyl	134	0.2000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	Q3
Methyl parathion	84.3	0.1000	ppm	50-150	07/11/25 15:40	07/14/25 14:24	
MGK-264	101	0.1000	ppm	50-150	07/11/25 15:40	07/14/25 14:24	
Myclobutanil	85.1	0.1000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Naled	76.9	0.2500	ppm	50-150	07/11/25 15:40	07/14/25 14:24	

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.



Analytical Test Report

Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
ORELAP ID: 4096
7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBD ISO GVL-TST990

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2507081-01

Quality Control Pesticide Analysis (Continued)

Batch: B25G096 - Pest/Myco (Continued)

LCS(B25G096-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Oxamyl	104	0.5000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Paclobutrazol	87.0	0.2000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Permethrins	84.5	0.1000	ppm	50-150	07/11/25 15:40	07/14/25 14:24	
Phosmet	93.1	0.1000	ppm	50-150	07/11/25 15:40	07/14/25 14:24	
Piperonyl butoxide	97.3	1.000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Prallethrin	99.8	0.1000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Propiconazole	95.3	0.2000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Propoxur	117	0.1000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Pyrethrins	95.6	0.5000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Pyridaben	101	0.1000	ppm	50-150	07/11/25 15:40	07/14/25 14:24	
Spinosad	84.3	0.1000	ppm	50-150	07/11/25 15:40	07/14/25 14:24	
Spiromesifen	86.7	0.1000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Spirotetramat	78.2	0.1000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Spiroxamine	97.4	0.2000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Tebuconazole	93.9	0.2000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Thiacloprid	103	0.1000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Thiamethoxam	104	0.1000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	
Trifloxystrobin	104	0.1000	ppm	60-120	07/11/25 15:40	07/14/25 14:24	

Chris Griffey
Lab Director

Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.



Analytical Test Report

Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBD ISO GVL-TST990

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2507081-01

Quality Control Heavy Metals

Batch: B25G108 - Microwave Digestion

Blank(B25G108-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Arsenic	< LOQ	0.100	ppm		07/14/25 11:34	07/15/25 15:26	
Cadmium	< LOQ	0.100	ppm		07/14/25 11:34	07/15/25 15:26	
Lead	< LOQ	0.250	ppm		07/14/25 11:34	07/15/25 15:26	
Mercury	< LOQ	0.0500	ppm		07/14/25 11:34	07/15/25 15:26	

LCS(B25G108-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Arsenic	89.4	0.100	ppm	80-115	07/14/25 11:34	07/15/25 15:34	
Cadmium	85.8	0.100	ppm	80-115	07/14/25 11:34	07/15/25 15:34	
Lead	88.4	0.250	ppm	80-115	07/14/25 11:34	07/15/25 15:34	
Mercury	98.5	0.0500	ppm	80-115	07/14/25 11:34	07/15/25 15:34	

Chris Griffey
Lab Director

Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBD ISO GVL-TST990

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2507081-01

Quality Control Solvent Analysis

Batch: B25G105 - ResSolv

Blank(B25G105-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Acetone	< LOQ	2500	ppm		07/14/25 08:29	07/14/25 11:48	
Acetonitrile	< LOQ	205.0	ppm		07/14/25 08:29	07/14/25 11:48	
Benzene	< LOQ	1.000	ppm		07/14/25 08:29	07/14/25 11:48	
2-Butanol	< LOQ	2500	ppm		07/14/25 08:29	07/14/25 11:48	
Cumene	< LOQ	35.00	ppm		07/14/25 08:29	07/14/25 11:48	
Cyclohexane	< LOQ	1940	ppm		07/14/25 08:29	07/14/25 11:48	
Dichloromethane	< LOQ	300.0	ppm		07/14/25 08:29	07/14/25 11:48	
1,4-Dioxane	< LOQ	190.0	ppm		07/14/25 08:29	07/14/25 11:48	
2-Ethoxyethanol	< LOQ	80.00	ppm		07/14/25 08:29	07/14/25 11:48	
Ethyl acetate	< LOQ	2500	ppm		07/14/25 08:29	07/14/25 11:48	
Ethylene glycol	< LOQ	310.0	ppm		07/14/25 08:29	07/14/25 11:48	
Ethylene oxide	< LOQ	25.00	ppm		07/14/25 08:29	07/14/25 11:48	
Ethyl ether	< LOQ	2500	ppm		07/14/25 08:29	07/14/25 11:48	
Heptane	< LOQ	2500	ppm		07/14/25 08:29	07/14/25 11:48	
Isopropyl acetate	< LOQ	2500	ppm		07/14/25 08:29	07/14/25 11:48	
Methanol	< LOQ	1500	ppm		07/14/25 08:29	07/14/25 11:48	
Propane	< LOQ	2500	ppm		07/14/25 08:29	07/14/25 11:48	
2-Propanol (IPA)	< LOQ	2500	ppm		07/14/25 08:29	07/14/25 11:48	
Tetrahydrofuran	< LOQ	360.0	ppm		07/14/25 08:29	07/14/25 11:48	
Toluene	< LOQ	445.0	ppm		07/14/25 08:29	07/14/25 11:48	
Butanes	< LOQ	2500	ppm		07/14/25 08:29	07/14/25 11:48	
Hexanes	< LOQ	145.0	ppm		07/14/25 08:29	07/14/25 11:48	
Pentanes	< LOQ	2500	ppm		07/14/25 08:29	07/14/25 11:48	
Xylenes	< LOQ	1085	ppm		07/14/25 08:29	07/14/25 11:48	

Blank(B25G105-BLK2)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Acetone	< LOQ	2500	ppm		07/14/25 08:29	07/14/25 12:22	
Acetonitrile	< LOQ	205.0	ppm		07/14/25 08:29	07/14/25 12:22	
Benzene	< LOQ	1.000	ppm		07/14/25 08:29	07/14/25 12:22	
2-Butanol	< LOQ	2500	ppm		07/14/25 08:29	07/14/25 12:22	
Cumene	< LOQ	35.00	ppm		07/14/25 08:29	07/14/25 12:22	
Cyclohexane	< LOQ	1940	ppm		07/14/25 08:29	07/14/25 12:22	
Dichloromethane	< LOQ	300.0	ppm		07/14/25 08:29	07/14/25 12:22	
1,4-Dioxane	< LOQ	190.0	ppm		07/14/25 08:29	07/14/25 12:22	

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBD ISO GVL-TST990

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2507081-01

Quality Control

Solvent Analysis (Continued)

Batch: B25G105 - ResSolv (Continued)

Blank(B25G105-BLK2)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
2-Ethoxyethanol	< LOQ	80.00	ppm		07/14/25 08:29	07/14/25 12:22	
Ethyl acetate	< LOQ	2500	ppm		07/14/25 08:29	07/14/25 12:22	
Ethylene glycol	< LOQ	310.0	ppm		07/14/25 08:29	07/14/25 12:22	
Ethylene oxide	< LOQ	25.00	ppm		07/14/25 08:29	07/14/25 12:22	
Ethyl ether	< LOQ	2500	ppm		07/14/25 08:29	07/14/25 12:22	
Heptane	< LOQ	2500	ppm		07/14/25 08:29	07/14/25 12:22	
Isopropyl acetate	< LOQ	2500	ppm		07/14/25 08:29	07/14/25 12:22	
Methanol	< LOQ	1500	ppm		07/14/25 08:29	07/14/25 12:22	
Propane	< LOQ	2500	ppm		07/14/25 08:29	07/14/25 12:22	
2-Propanol (IPA)	< LOQ	2500	ppm		07/14/25 08:29	07/14/25 12:22	
Tetrahydrofuran	< LOQ	360.0	ppm		07/14/25 08:29	07/14/25 12:22	
Toluene	< LOQ	445.0	ppm		07/14/25 08:29	07/14/25 12:22	
Butanes	< LOQ	2500	ppm		07/14/25 08:29	07/14/25 12:22	
Hexanes	< LOQ	145.0	ppm		07/14/25 08:29	07/14/25 12:22	
Pentanes	< LOQ	2500	ppm		07/14/25 08:29	07/14/25 12:22	
Xylenes	< LOQ	1085	ppm		07/14/25 08:29	07/14/25 12:22	

LCS(B25G105-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Acetone	89.1	2500	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
Acetonitrile	83.4	205.0	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
Benzene	94.9	1.000	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
n-Butane	97.0	2500	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
2-Butanol	91.5	2500	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
Cumene	99.3	35.00	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
Cyclohexane	94.6	1940	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
Dichloromethane	94.0	300.0	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
2,2-Dimethylbutane	108	145.0	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
2,3-Dimethylbutane 2-Methy	104	145.0	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
1,4-Dioxane	92.4	190.0	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
2-Ethoxyethanol	88.4	80.00	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
Ethyl acetate	89.5	2500	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
Ethyl benzene	108	1085	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
Ethylene glycol	86.4	310.0	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
Ethylene oxide	91.1	25.00	ppm	60-120	07/14/25 08:29	07/14/25 11:14	

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBD ISO GVL-TST990

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2507081-01

Quality Control

Solvent Analysis (Continued)

Batch: B25G105 - ResSolv (Continued)

LCS(B25G105-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Ethyl ether	99.1	2500	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
Heptane	92.1	2500	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
n-Hexane	106	145.0	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
iso-Butane	95.2	2500	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
Isopropyl acetate	99.7	2500	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
iso-Pentane	106	2500	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
Methanol	82.0	1500	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
3-Methylpentane	104	145.0	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
neo-Pentane	109	2500	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
n-Pentane	93.6	2500	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
Propane	105	2500	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
2-Propanol (IPA)	90.3	2500	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
Tetrahydrofuran	97.2	360.0	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
Toluene	100	445.0	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
m,p Xylene	111	1085	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
o-Xylene	109	1085	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
Butanes	96.1	2500	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
Hexanes	105	145.0	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
Pentanes	103	2500	ppm	60-120	07/14/25 08:29	07/14/25 11:14	
Xylenes	110	1085	ppm	60-120	07/14/25 08:29	07/14/25 11:14	

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.



Analytical Test Report

Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBD ISO GVL-TST990

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2507081-01

Notes and Definitions

- B Analyte detected in method blank, but not associated samples.
 - B2 Analyte detected in sample and associated method blank.
 - C Interference due to co-elution.
 - D Initial result exceeded calibration range, reported data are based on analysis of a dilution.
 - H Non-homogenous sample matrix affecting RPD and/or QC.
 - I Manual Integration was performed.
 - L Duplicate sample relative percent difference (RPD) exceeds QC limits.
 - M Anomalous results due to matrix interference
 - P Peaks manually split.
 - Q1 QC out of limits but still OK
 - Q2 Quality Control outside QC limits. Data considered estimate.
 - Q3 CCV was above the acceptance criteria. Non-detect samples are considered acceptable.
 - Q4 CCV was below the acceptance criteria, however the sample still exceeds the regulatory limit.
 - R Marginal Exceedence.
 - U Reported result is an estimate. The analyte was detected above the calibration range.
 - X Problems with initial analysis, reported data are from reinjection of prepared sample.
- <LOQ - Results below the Limit of Quantitation - Compound not detected

Chris Griffey
 Lab Director

Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 25-007814/D001.R000
Report Date: 07/17/2025
ORELAP#: OR100028
Purchase Order:
Received: 07/10/25 10:19

Customer: Central Oregon Processing
212 NE North St.
Grass Valley Oregon 97029
United States of America (USA)
Product identity: CBD Iso GVL-TST990
Metrc ID: .
Material: Cannabinoid Isolate
Laboratory ID: 25-007814-0001
Evidence of Cooling: No
Temp: 23.3 °C

Sample Results

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
E.coli	< LOQ		cfu/g	10	2504950	07/14/25 AOAC 991.14 (Petrifilm)		
Total Coliforms	< LOQ		cfu/g	10	2504950	07/14/25 AOAC 991.14 (Petrifilm)		
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2504951	07/15/25 AOAC 2014.05 (RAPID)		
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2504951	07/15/25 AOAC 2014.05 (RAPID)		



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 25-007814/D001.R000
Report Date: 07/17/2025
ORELAP#: OR100028
Purchase Order:
Received: 07/10/25 10:19

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Units of Measure

cfu/g = Colony forming units per gram

=

% wt = $\mu\text{g/g}$ divided by 10,000



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 25-007814/D001.R000
Report Date: 07/17/2025
ORELAP#: OR100028
Purchase Order:
Received: 07/10/25 10:19



**Hemp & Cannabis
Chain of Custody**

**Central-Oregon-
Processing-1752083883**

Company Details Company: <u>Central Oregon Processing</u> Contact: <u>Bharath Pogula</u> Street Address: <u>374 NE Peters Rd</u> City, State, Zip: <u>Prineville, OR 97754</u> Email: <u>bharath@gvbbiopharma.com</u> Contact Phone: <u>9737225455</u> Billing Information Billing Email: <u>bharath@gvbbiopharma.com</u>		Project Details Turnaround Time: <u>5 Business Days</u> Reg. For Micro Testing Standard Relinquishment Sampling, Courier & Shipping Options: <u>By Shipping Service</u> (USPS, UPS, Fedex) Receipt Information Evidence of Cooling?: No Sample Condition: Satisfactory Prelog Storage: Canna Shelves			Testing		
					Σ	M283 - RAPID Yeast and Mold Count (RYM) Petrifilm	
#	Sample Name	Material	Amount Provided	Reporting Unit	Additional Test Requests and Sample Comments		
1	CBD Iso GVL-TST990	Cannabinoid Isolate	5 g	%	N/A	✓	✓

Relinquished By	Date	Time	Received By	Date	Time	Received Temp., °C	IR Therm. CL#
Bharath Pogula	07/09/2025	10:58	amp	07/10/2025	10:19	23.30	CL-0494

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the [current terms of services](#) associated with this COC. By signing "Relinquished by" you are agreeing to these terms.

Columbia Laboratories
12423 NE Whitaker Way
Portland, OR 97230

P: (503) 254-1794
info@columbialaboratories.com

Page 1 of 1
www.columbialaboratories.com



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 25-007814/D001.R000
Report Date: 07/17/2025
ORELAP#: OR100028
Purchase Order:
Received: 07/10/25 10:19





Explanation of QC Flag Comments:

Code	Explanation
A	This analysis was performed on a VOA sample containing headspace.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.
B3	Dilution water blank of BOD was above the recommended limit; associated samples could be high biased.
CP	Client provided value.
CV	Calculated value.
E	Analyte concentration exceeds the calibration range, results are estimated.
E1	Estimated value.
E2	Estimated value. Matrix interference observed.
H	Holding time was exceeded.
J	Estimated value, above the detection limit and below the LOQ
I	Insufficient sample received to meet method requirements.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
LOQ3	< LOQ could be due to potential inhibition.
N1	See case narrative
P	Not preserved to the proper pH
P1	Storage temperature out of control
P2	Incubator temperature out of control
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
Q7	Quality control outside QC limits.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
RE	Re-extracted and/or re-analyzed.
REH	The original analysis was within holding time; re-analysis past holding time.
S	Surrogate recovery outside control limit.
T	Tentatively Identified Compound (TIC) by library search.
T1	Confirmed by secondary ion
W	Results are reported on dry weight basis.